


TRACTOR SUNSHADE



WE'VE GOT YOU COVERED.



With decades of history providing shade for every brand of tractor, TractorSunShade is the industry leader in fiberglass sun shades. We have the most complete line of products, the highest quality standards, and the farthest reaching distribution network. While our past differentiates us, it is our future that defines us: our facility has been updated to include the latest techniques in fiberglass manufacturing. From Close molded manufacturing, to an in house tooling department that insures the best quality every time.

No one matches our production capacity, customer service guarantee, or our diversity of applications.

From our team to yours - Thank you for letting us provide you with shade.

STANDARD AVAILABLE COLORS*:



** Custom Colors Available Upon Request*




CONSTRUCTION

- 1 Hi-gloss, color matched gel coat with UV inhibitors
- 2 Quality chop and hand laid fiberglass for structural integrity
- 3 Blacked-out underside
- 4 Rubber isolation with sound dampening
- 5 Heavy gauge steel bracketry finished in hardened powdercoat
- 6 Front amber, and rear red reflectors standard

ADJUSTABILITY

Customize your fit: Hardware allows for change in pitch by 15 degrees (P), vertical height by up to 6" (V), and 4" or horizontal adjustment (H).



ASSEMBLY

A few basic tools are all that are required for you to easily mount our canopy by yourself or in the field- in minutes!



Front & rear reflectors standard

Rubber isolated pads float the canopy in rubber to eliminate vibration noise

Heavy duty, powder-coated steel mounting brackets

////// SUNSHADE: NX

Zero-Turn & Commercial Mowers

SUNSHADE DIMENSIONS 45" W x 46" L	WEIGHT 20 LBS	EFFECTIVE COVERAGE 18 SF	ROPS APPLICATION Fits ROPS 30" - 40" Width
---	-------------------------	------------------------------------	--



APPLICATION GUIDE	BRAND	APPLICATION	SUNSHADE #	BRACKET & HARDWARE #
	JOHN DEERE	1600 Turbo Diesel	FAS-NXG	FAH-N32S
	JOHN DEERE	ZTRAK 700 SERIES: Z710A / Z720A , ZTRAK PRO 900 Series: Z925A PRO, *2500B / 2635B	FAS-NXG	FAH-Z22S
	JOHN DEERE	7200 Precision cut, *7400 Terrain Cut, *1600T WAM, *8000E, 8400	FAS-NXG	FAH-Z32S
	JOHN DEERE	ZTRAK 900: B Series / M Series / R Series / Z997R Diesel	FAS-NXG	FAH-Z900
	JOHN DEERE	997 Diesel, *1420 / 1432 / 1435 / 1445 / 1565	FAS-NXG	FAH-N22S
	KUBOTA	Z100 Series: Z122R / Z121S / Z122E / Z125E / Z125S, Z700 Series: Z723KH / Z724KH / Z725KH / Z724X / Z726X	FAS-NXK	FAH-N22S
KUBOTA	F90 Series: F2690E / F2690 / F3990, Z200 Series: ZG222 / ZG227 / ZD221, Z300 Series: ZG327 / ZG332 / ZD323 / ZD326 / ZD326H / ZD331 / ZP330, ZD1000 Series: ZD1011 / ZD1021, ZD1200 Series: ZD1211	FAS-NXK	FAH-N32S	

////// SUNSHADE: N1

Compact Utility Tractors

SUNSHADE DIMENSIONS 45" W x 58" L	WEIGHT 25 LBS	EFFECTIVE COVERAGE 24 SF	ROPS APPLICATION Fits ROPS 30" - 40" Width
---	-------------------------	------------------------------------	--



APPLICATION GUIDE	BRAND	APPLICATION	SUNSHADE #	BRACKET & HARDWARE #
	CASE IH	FARMALL: 31, *DX21 - DX34	FAS-N1CR*	FAH-N22
	CASE IH	FARMALL: 35 / 40 / 45 / 50 / 55, FARMALL: 30B / 35B / 40B / 50B, FARMALL: 30C / 35C / 40C / 50C, *DX35 - DX55	FAS-N1CR*	FAH-N32
	JOHN DEERE	1 FAMILY: 1023E / 1025R / 1026R, *2210 / 2305, *1400 / 1500 SERIES MOWERS	FAS-N1G	FAH-N22
	JOHN DEERE	2 FAMILY: 2025R / 2032R, *2320 / 2520 / 2720	FAS-N1G	FAH-Z22
	JOHN DEERE	3 FAMILY: 3032E / 3033R / 3038E / 3039R / 3046R, 4 FAMILY: 4044M / 4044R / 4052M / 4052R / 4066M / 4066R, 5E SERIES: 5045E / 5055E / 5065E / 5075E / 5085E / 5100E, 3000 / 4000 / 5000 SERIES	FAS-N1G	FAH-N32
	JOHN DEERE	E-Cut Hybrid: 7500 / 8500, Precision Cut Fairway Mower: 7700 / 8500	FAS-N1G	FAH-NF23
	KIOTI	CS SERIES: 2210 / 2410 / 2510, CK SERIES: 2510	FAS-N1K	FAH-N22
	KIOTI	CK SERIES: 2610 / 3510 / 4010, DK SERIES: 4510 / 5010 / 5510	FAS-N1K	FAH-N32
	KUBOTA	BX & B Series	FAS-N1K	FAH-N32
LS	G-SERIES: 3033 / 3038, XG-SERIES: 3025 / 3032 / 3037, XR-SERIES: 3037 / 3135 / 4040 / 4046 / 4140 / 4145 / 4150 / 4155, K-SERIES: 5047 / 5055, *XJ2025	FAS-N1B*	FAH-N32	
MAHINDRA	1500 SERIES: 1526 / 1533 / 1538	FAS-N1R*	FAH-N22	
MAHINDRA	eMAX: 22 / 25, MAX: 24 / 26 / 28, *5525 / 6025, *1815 / 2415 / 2815 / 3215, *1816 / 2216 / 2516 / 3316 / 3616, *4500 / 5500 / 6000 / 6500	FAS-N1R*	FAH-N32	
MAHINDRA	3500 SERIES: 3540 / 3550, 4500 SERIES: 4025 / 4525 / 4530 / 4540 / 4550 / 4565, *4035 / 5530 / 5545	FAS-N1R*	FAH-N42	
MASSEY	GC1700 SERIES: 1705 / 1710 / 1715 / 1720, *1010 - 1045	FAS-N1R*	FAH-N22	
MASSEY	1700E SERIES: 1726E / 1734E / 1739E, *1225-1260, *1417 / 1423 / 1428 / 1429 / 1431 / 1523 / 1526 / 1528 / 1529 / 1531 / 1532	FAS-N1R*	FAH-N32	
MASSEY	2600 SERIES: 2605 / 2615 / 2635, 2600H SERIES: 2604H / 2605H / 2606H / 2607H	FAS-N1R*	FAH-N52	
MASSEY	1500 SERIES: 1526, 1532	FAS-N1R*	FAH-Z32	
NEW HOLLAND	BOOMER: 1020 / 1025 / 1030 / 2030 / 2035, *TC18 - TC33, *T1010 - T2220	FAS-N1B*	FAH-N22	
NEW HOLLAND	BOOMER: 20 - 50, WORKMASTER: 35 / 40, *TC35 - TC55, *TZ18 - TZ25	FAS-N1B*	FAH-N32	
YANMAR	SA SERIES 221 / 324 / 424, *SX3100	FAS-N1BLK	FAH-N22	
YANMAR	EX SERIES 3200, LX SERIES 410 / 450 / 490 / 4100 / 4500 / 4900, SX SERIES 3100	FAS-N1BLK	FAH-N32	

*Also available in White FAS-N1W

For help, or to place an order visit: www.tractorsunshade.com or call 623.934.9340

////// SUNSHADE: N2

Utility Tractors

SUNSHADE DIMENSIONS 52" W x 66" L	WEIGHT 30 LBS	EFFECTIVE COVERAGE 30 SF	ROPS APPLICATION Fits ROPS 35" - 48" Width
---	-------------------------	------------------------------------	--



APPLICATION GUIDE	BRAND	APPLICATION	SUNSHADE #	BRACKET & HARDWARE #
	CASE IH	FARMALL: 45A / 50A / 55A / 60A / 65A / 70A / 75A, FARMALL: 65C / 75C / 85C / 95C / 105C / 115C, FARMALL: 60 / 70 / 80 / 90 / 95, FARMALL: 85U, *JX1060C - JX1075C	FAS-N2CR*	FAH-N35
	CASE IH	FARMALL: 95U / 105C / 105U / 110A / 120A / 125A / 140A, *JX55 - JX95, *JX1080U - JX1100U	FAS-N2CR*	FAH-N52
	JOHN DEERE	6D SERIES: 6105D / 6115D / 6130D / 6140D, 6000 / 7000 SERIES	FAS-N2G	FAH-N67
	KIOTI	NX SERIES: 4510 / 5010 / 5510 / 6010, RX SERIES: 6620 / 7320	FAS-N2K	FAH-N32
	KUBOTA	L & M Series	FAS-N2K	FAH-N32
	LS	XU SERIES (Please contact Tractor Sunshade)	FAS-N2B*	FAH-X32
	LS	P SERIES P7040	FAS-N2B*	FAH-N52
	MAHINDRA	2555 / 5010 / 5555 / 5565 / 5570	FAS-N2R*	FAH-N42
	MAHINDRA	mPower75, mPower 85, 20 Series: 5520 / 6520 / 7520, *7060 / 8560	FAS-N2R*	FAH-X42
	MASSEY	1700E SERIES: 1726E / 1734E / 1739E, *1533 / 1540 / 1552 / 1560 / 3625 / 3635 / 3645	FAS-N2R*	FAH-N32
	MASSEY	4600M SERIES: 4607 / 4608 / 4609 / 4610, *543 / 563 / 573 / 583 / 593 / 596 / 573 / 583 / 593 / 596, *2650 / 2660 / 2670 / 2680	FAS-N2R*	FAH-N42
	MASSEY	4700 SERIES: 4708 / 4709 / 4710, *2616 / 2625 / 2635 / 2636 / 4253	FAS-N2R*	FAH-N52
	MASSEY	1600 SERIES: 1635 / 1643 / 1648 / 1652 / 1660, 1700 SERIES PREMIUM: 1736 / 1742 / 1749 / 1754 / 1758 / 1759	FAS-N2R*	FAH-Z32
	NEW HOLLAND	TC35 - TC55	FAS-N2B*	FAH-N32
NEW HOLLAND	WORKMASTER: 45 - 75, T4 SERIES: T4.55 / T4.65 / T4.75 / T4.85 / T4.95, *T4020 - T4050, *TD75 / TC80 / TD95, *TD5010 - TD5050, *TN55 - TN95	FAS-N2B*	FAH-N35	
NEW HOLLAND	TS6 SERIES: TS6.110 / TS6.120 / TS6.130 / TS6.140, *T5040 - T5070, *TL70 - TL100, *TS6000 - TS6040	FAS-N2B*	FAH-N52	

*Also available in White FAS-N2W

For help, or to place an order visit: www.tractorsunshade.com or call 623.934.9340

//// MEDIUM

Non Current Ford & Case IH Tractors

SUNSHADE DIMENSIONS 54" W x 64" L	WEIGHT 41 LBS
EFFECTIVE COVERAGE 31 SF	
ROPS APPLICATION Bolt on style	

//// LONG

Mid Mounted ROPS

SUNSHADE DIMENSIONS 47" W x 63" L	WEIGHT 32 LBS
EFFECTIVE COVERAGE 25 SF	
ROPS APPLICATION 2" - 2" Mid-Mounted ROPS	



Medium & Long sunshades have wood inserts for added structural support. A one inch rain lip/gutter disperses water away from driver, and drainage holes are in the rear.

APPLICATION GUIDE	BRAND	APPLICATION	SUNSHADE #	BRACKET & HARDWARE #
	CASE IH	385 / 395 / 485 / 495 / 585 / 595 / 685 / 695 / 885 / 895 / 995 / 3220 / 3230 / 4210 / 4230 / 4240 / 5120 / 5140 / 5220 / 5230 / 5240 / 5250 / C50 / C60 / C70 / C80 / C90 / C100	FAS-MR	FAH-N8551
	FORD	2810 / 2910 / 3910 / 4610 / 5010 / 5610 / 6610 / 7010 / 7610 / 7710 / 7810 / 8010 / 8210	FAS-MW	FAH-N3H
	FORD	3230 / 3430 / 3930 / 4130 / 4630 / 4635 / 4835 / 5030 / 5635 / 5640 / 5900 / 6635 / 6640 / 7635 / 7740 / 7840 / 8240 / 5610S / 6610S / 7610S / 7810S	FAS-MW	FAH-N52
	John Deere	Mid Mounted 2"x 2" ROPS: 5EN NARROW SERIES: 5083EN / 5093EN / 5101EN, *5105ML / 5425N / 5525N	FAS-LG	FAH-A22
	KUBOTA	Mid Mounted 2"x 2" ROPS: M40 NARROW: M6040 / M7040 / M8540	FAS-LK	FAH-A22
	NEW HOLLAND	Mid Mounted 2"x 2" ROPS: TS4.105F	FAS-LB	FAH-A22

////// SUNSHADE: DCGT

SUNSHADE DIMENSIONS 47" W x 53" L	WEIGHT 25 LBS	EFFECTIVE COVERAGE 20 SF
---	-------------------------	------------------------------------



APPLICATION GUIDE			
BRAND	APPLICATION	SUNSHADE #	BRACKET & HARDWARE #
JOHN DEERE	GATOR T-SERIES: TS, TX, TH, TE	FAS-DCGT	FAH-DCGT
JOHN DEERE	WINDSHIELD KIT: Gator T-SERIES: TS, TX, TH, TE, (COMPLETE SUNSHADE KIT REQUIRED FOR WINDSHIELD INSTALL)		FAA-DCGTW

////// SUNSHADE: DCPRO

SUNSHADE DIMENSIONS 63" W x 54" L	WEIGHT 45 LBS	EFFECTIVE COVERAGE 28 SF
---	-------------------------	------------------------------------



APPLICATION GUIDE			
BRAND	APPLICATION	SUNSHADE #	BRACKET & HARDWARE #
JOHN DEERE	PROGATOR	FAS-DCPRO	FAH-DCPRO
JOHN DEERE	WINDSHIELD KIT: PROGATOR (COMPLETE SUNSHADE KIT REQUIRED FOR WINDSHIELD INSTALL)		FAA-DCPROW

////// SUNSHADE: DGX13

SUNSHADE DIMENSIONS 49" W x 55" L	WEIGHT 45 LBS	EFFECTIVE COVERAGE 22 SF
---	-------------------------	------------------------------------




APPLICATION GUIDE			
BRAND	APPLICATION	SUNSHADE #	BRACKET & HARDWARE #
JOHN DEERE	HPX/XUV: 2006 - 2012	FAS-HPX	FAH-06HPX
JOHN DEERE	HPX/XUV: 2013 - Current	FAS-HPX	FAH-DGX13

1.D YOUR SUNSHADE & BRACKET/HARDWARE KIT

STEP 1: Measure Your ROPS *Required: Measuring tape, pen & paper

- A. Measure and note your ROPS overall width (outside-to-outside)
- B. Measure and note your ROPS tube width and depth



STEP 2: Identify Your Sunshade & Color *Required: ROPS overall width

Use your ROPS overall width obtained from Step 1 Diagram A to determine your bracket/hardware kit:

TRACTOR TYPE	ROPS WIDTH	SUNSHADE
Zero Turn and Commercial Mowers	30" - 40"	Sunshade #FAS-NX
Compact Utility Tractors	30" - 40"	Sunshade #FAS-N1
Utility Tractors	35" - 48"	Sunshade #FAS-N2

Determine the color acronym for your canopy:

CR	R	K	G	B	W	BLK
----	---	---	---	---	---	-----

** Custom Colors Available Upon Request*

Your full part number will be your sunshade # plus color acronym: ex: FAS-NXBLK

STEP 3: Identify Your Bracket / Hardware Kit *Required: Sunshade Application [STEP 2]

Use your ROPS tube dimension from Step 1 Diagram B to determine your bracket / hardware kit:

NX SUNSHADE SPECIFIC APPLICATIONS [Uses 40" sunshade tube]

FORWARD LEANING ROPS	
ROPS A x B	Bracket / Hardware Kit #
2" x 2"	#FAH-Z22S
3" x 2"	#FAH-Z32S

STANDARD VERTICAL ROPS	
ROPS A x B	Bracket / Hardware Kit #
2" x 2"	FAH-N22S
3" x 2"	FAH-N32S

N1, N2 SUNSHADE SPECIFIC APPLICATIONS [Uses 48" sunshade tube]


FORWARD LEANING ROPS	
ROPS A x B	Bracket / Hardware Kit #
2" x 2"	FAH-Z22
3" x 2"	FAH-Z32

STANDARD VERTICAL ROPS	
ROPS A x B	Bracket / Hardware Kit #
2" x 2"	FAH-N22
3" x 2"	FAH-N32
3.5" x 2"	FAH-N35
4" x 2"	FAH-N42
5" x 2"	FAH-N52

STEP 4: Order!

TRACTOR SUNSHADE

DISTRIBUTOR TERRITORIES



J.S. Woodhouse Co.

Pennsylvania
New York
Washington DC
Delaware
New Hampshire
Massachusetts
Connecticut
Rhode Island
Maine
Maryland
West Virginia
New Jersey
Vermont

413.736.5462

info@jswoodhouse.com
www.jswoodhouse.com

Robert Laning & Sons

Canada

1.800.461.9691

Brian@laning.ca
www.laning.ca

Shortline Sales

Tennessee
Mississippi
Missouri
Arkansas
Louisiana
North Alabama
Western Kentucky
Southern Missouri

1.800.238.2570

Mail@shortlinesales.com

Tri-State Distributors

Virginia
N. Carolina
S. Carolina

704.873.0531

info@tristatedistributors.net
www.tristatedistributors.net

Wiedmann Bros.

California
Oregon
Washington St
Hawaii

877.934.2444

sales@wiedmannbros.com
www.wiedmannbros.com

Tractor Sunshade

All Other U.S Territories

623.934.9340

info@tractorsunshade.com
www.tractorsunshade.com

