

WINTER PRODUCT CATALOG

2024-2025

SNOWBLOWERS
SNOW BROOMS
SALT & SAND SPREADERS
SNOW BUCKETS
SNOW PUSHERS
SNOW BLADES & PLOWS
COMMERCIAL HEATERS



WINTER PRODUCT CATALOG 2024

Snowblowers

Commercial 3-Point Mounted..... 5-6
 3-Point Rear-Mounted..... 6
 Front Or Rear 3-Point Mounted..... 7
 3-Point, Pull-Type..... 7-8
 Loader Mount..... 8
 Skid Steer Mount..... 9-10
 Steiner/Ventrac..... 11
 Self-Powered..... 11
 UTV Mount..... 12
 Walk-Behind, Single Stage, Battery..... 13
 Walk-Behind, 2-Stage, Battery..... 13
 Walk-Behind, 2-stage, Gas..... 14

Snow Brooms

3-Point Mount..... 15
 Skid Steer Or Loader Mount..... 15-17
 Mini Skid Steer Mount..... 18
 Walk-Behind..... 18

Salt & Sand Spreaders

Walk-Behind..... 19
 3-Point..... 20-21
 3-Point Or Tow..... 21
 3-Point Or Skid Steer..... 22
 Skid Steer..... 22
 Tailgate..... 23
 Insert..... 23
 Dump Trucks..... 24
 Anti-Icer Liquid Applicators..... 24

Snow Buckets

Loader Or Skid Steer Mount..... 25

Snow Pushers

Loader Or Skid Steer Mount..... 26-29

Snow Blades & Plows

Skid Steer & Loader Mount..... 30-38
 Zero-Turn Mounted..... 38
 Truck-Mounted,
 1/2 Ton & Light Pickups..... 39-41
 Truck-Mounted,
 3/4 Ton Pickups & Larger..... 42-43
 Meyer Snow Plow Parts..... 43

Commercial Heaters

Radiant Heaters..... 44

Contact Information

Hayward Distributing Co.	800-282-1585
Ag & Construction	888-222-8455
J.S. Woodhouse Division	413-736-5462

sales@haydist.com

Locations

Hayward Distributing Co. Main Office
 4061 Perimeter Dr. Columbus, OH

J.S. Woodhouse Division Main Office
 1314 Union St Exd West Springfield, MA

572 Industrial Dr,
 Lewisberry, PA

467 Oakland Cir,
 Raphine, VA


11A Evergreen Dr,
 Fairfield, ME

567 S Reading Rd,
 Ephrata, PA

6412 Deere Rd # 1,
 Syracuse, NY

TERRITORIES

ABOUT 30 FIELD TEAM MEMBERS LIVE WITHIN AND REGULARLY TRAVEL THE GREEN AREA




SEVEN WAREHOUSE LOCATIONS WITH ABOUT 250,000 SQUARE FEET OF INDOOR SPACE

Manufacturer	TERRITORIES COVERED
Agri-Fab	IA, IL, IN, KY, MI, MN, MO, ND, OH, PA, SD, TN, WI, WV
Paladin	CT, DE, IA, IL, IN, KY, MA, MD, ME, MI, MN, MO, ND, NH, NJ, NY, OH, PA, RI, SD, VT, WI, WV
CID	CT, DE, IN, KY, MA, MD, ME, MI, MO, ND, NH, NJ, NY, OH, RI, S. IL, SD, TN, VT, WV
EGO	IL, IN, KY, MI, MN, ND, OH, SD, WI, WV
Herd	CT, DE, MA, MD, ME, MI, NH, NJ, NY, OH, PA, RI, VT, WV
Honda Power	OH, PA, WV
Meyer	CT, DE, IL, IN, KY, MA, MD, ME, MI, MN, ND, NH, NJ, NY, OH, PA, RI, SD, TN, VA, VT, WI, WV
Ohio Steel	NO SALES TERRITORY RESTRICTIONS
RAD	NATIONAL DISTRIBUTOR
SaMASZ	GA, IA, IL, IN, KY, MI, MN, MO, NC, ND, OH, TN, VA, WI, WV
Spyker	NO SALES TERRITORY RESTRICTIONS
Sundown	NO SALES TERRITORY RESTRICTIONS
SunFire	AR, CO, CT, DE, IA, IL, IN, KS, KY, LA, MA, MD, ME, MI, MN, MO, NC, ND, NE, NH, NJ, NY, OH, OK, PA, RI, SC, SD, TN, TX, VA, VT, WI, WV
Worksaver	CT, DE, IN, KY, MA, MD, ME, NH, NJ, NY, OH, PA, RI, TN, VA, VT, WV

*Note: Territories change regularly. The above chart may be out of date.

ABOUT HAYWARD DISTRIBUTING CO.

Hayward is a family-owned 2-step distributor focused on dealers in the outdoor power, small engine, ag, construction, forestry, hearth, and rental markets. We operate seven warehouses across 27 states with a 90 person team, about a third of which are in the field supporting dealers. We make it easy for dealers to do business with us.



Long-Time Industry Insider Knowledge Lets Us Solve Your Problems Quickly.

- Our team is loaded with industry knowledge. Half our team has over a decade of industry experience. About 15 team members have worked at dealerships, and 6 have run them. Working at Hayward, we have 10 or so farmers, another 10 or so who have worked in landscape or construction, and multiple mechanics.
- We have dealt with thousands of dealers and hundreds of manufacturers, so we know how things work.
- We all hope there are no issues, but when there is, we know how to resolve it quickly and easily.

Stable And Established.

- Hayward was founded in 1947 and is over 75 years old. Our J.S. Woodhouse division started in 1843. From Woodhouse's original location, there would have been a view of the Statue of Liberty... except Lady Liberty had not been built yet.
- As a family-owned business, we have multi-generational relationships with dealers. We take a long view focused on keeping dealers in business, not the next earnings call.
- We are one of a small number of central distributors that have been trusted by world-renowned brands such as Honda Engines since 1982 and Bobcat since 1986.

Reliable, Consistent And Flexible Back-End Support.

- We have the systems to ensure the day-to-day activities are handled reliably and consistently.
- You can expect 95% fill rates, on-time and accurate same-day shipments with next-day deliveries most places, and answered and returned phone calls.
- We keep tens of millions of dollars of inventory and can provide appropriate in-house credit and/or work with established long-term floor plan relationships.
- Order how you want to (website, EDI, API, fax, phone call, text, chat...letter) and receive it how you want (truckload, LTL, FedEx, UPS, mail, company flatbed truck, will call).

Provide Dealerships Opportunities To Grow.

- With over 90 lines in multiple categories, we provide lots of options to grow your business and fill out your product offering.
- We bring sales leads to dealers and do everything we can to help close them for you.
- Our field team augments your sales team with support at open houses, shows, local fairs, or other events as requested.

Local Presence For Your Dealership.

- About 30 field team members live and regularly travel throughout our coverage area.
- We operate 7 locations with about 250,000 sq. ft. of indoor space.

Commercial Snowblowers, 3-Point Rear Mounted



COMMERCIAL SNOWBLOWERS

FEATURES:

- Hydraulic Chute Rotator
- Hydraulic 2-Stage Deflector
- 6-Blade Fan
- Dual Augers with Ribbon Flighting
- Adjustable Skid Shoes
- Skid Shoes & Side Plates Made with AR400 steel



COMMERCIAL SNOWBLOWER

MODELS	WORKING WIDTH	STAGES	HITCH CATEGORY	TRACTOR PTO HP	WEIGHT
4097	97"	2	II & III	200	3,230
4108	108"	2	II & III	200	3,350
4120	120"	2	II & III	200	3,485

RH MODELS

MODELS	ROTATING HOUSING	WEIGHT
4097RH	Standard	3,490
4108RH	Standard	3,610
4120RH	Standard	3,745

SUNDOWN DOUBLE-AUGER SNOWBLOWERS

MODELS	WORKING WIDTH	MAIN AUGER DIAMETER	HITCH CATEGORY	TRACTOR PTO HP	WEIGHT
SEL87D	87"	15" (x2)	II	60	1,161
SEL97D	97"	15" (x1), 19" (x1)	I & II	100	1,900
SEL108D	108"	15" (x1), 19" (x1)	I & II	125	1,980
SEL120D	120"	15" (x1), 23" (x1)	I & II	200	3,010



DOUBLE-AUGER SNOWBLOWERS

FEATURES:

- 5 Blade impeller
- 7 year limited warranty
- High tensile steel flighting on top and bottom augers
- Cat. 2 - 3PH on model SEL87D
- Cat. 2 & Cat. 3 on SEL97D-SEL120D
- Hydraulic chute rotator standard (SB97D - SB120D)
- Manual chute deflector on all models
- Skid shoes



Commercial 3-Point Mounted

COMMERCIAL SIDEWALK SNOWBLOWERS

FEATURES:

- Carbide Skid Shoes & Side Plates
- Oil Bath Chain
- Spring Loaded Carbide Side Plates
- Frame Linkage
- V-Trip Cutting Edge



COMMERCIAL SIDEWALK SNOWBLOWER

MODELS	WORKING WIDTH	STAGES	HITCH CATEGORY	TRACTOR PTO HP
S2048	48"	1	I	25-55
S2054	54"	1	I	25-55
S2060	60"	1	I	25-55
S2048/1000	48"	1	I	50-75
S2054/1000	54"	1	I & II	50-75
S2060/1000	60"	1	II	50-75

3-Point Rear-Mounted

BLIZZARD SNOWBLOWERS

For small or large areas, you won't be disappointed by the performance of Blizzard snowblowers. We offer a range of snowblower models in widths from 48 inches to 94 inches, compatible with tractors from 15 horsepower to 75 horsepower.



RADTECH BLIZZARD 3-POINT SNOWBLOWERS

MODELS	RECOMMENDED HP AT PTO	CUTTING WIDTH	CUTTING HEIGHT	FAN DIAMETER	NUMBER OF BLADES	AUGER DIAMETER	HITCH CATEGORY	WEIGHT
B48C	15-30	48"	24-3/4"	20"	4	15"	I	420
B54C	20-40	54"	26"	24"	4	15"	I	512
B64C	20-40	64"	26"	24"	4	15"	I	531
B74C	30-45	74"	26"	24"	4	15"	I	664
B84C-L	30-50	84"	27-1/2"	24"	4	15"	I	800
B84A	45-75	84"	34"	28"	4	20"	I & II	1190
B94A	50-75	94"	34"	28"	4	20"	II	1231

Front Or Rear 3-Point Mounted



SaMASZ TORNADO

The Tornado rotary plows are designed for clearing snow from streets, large squares and areas with high snow content. It is suitable for the removal of snowdrifts up to 1 meter (3'3") high.



SaMASZ TORNADO

MODELS	RECOMMENDED HP AT PTO	THROWING DISTANCE	WORKING WIDTH	WEIGHT
Tornado 202	from 80	up to 33'	6'6"	1499
Tornado 252	from 90	up to 33'	8'2"	1587

3-Point, Pull-Type

SUNDOWN PULL-TYPE SNOWBLLOWERS, PERFORMANCE SERIES



MODELS	WORKING WIDTH	MAIN AUGER DIAMETER	NUMBER OF IMPELLER BLADES	HITCH CATEGORY	TRACTOR PTO HP	WEIGHT
SEL54PT-P	54"	14"	5	I	25	462
SEL60PT-P	60"	14"	5	I	25	495
SEL68PT-P	68"	14"	5	I	35	671
SEL72PT-P	72"	14"	5	I	35	685
SEL78PT-P	78"	15"	5	I & II	50	900
SEL87PT-P	87"	19"	5	II	60	1,175
SEL97PT-P	97"	19"	5	II	60	1,260

PERFORMANCE SERIES SNOWBLLOWERS

FEATURES:

- Cleans tight to the garage door
- 5 blade impeller
- 7 year limited warranty
- High tensile steel flighting
- Standard manual chute deflector (all)
- Multi-hinged deflector (SEL68P/T – SEL97P/T)
 - Standard manual chute rotator (SEL54PT & SEL60PT)



3-Point, Pull-Type

SUNDOWN PULL-TYPE SNOWBLOWERS

MODELS	WORKING WIDTH	MAIN AUGER DIAMETER	NUMBER OF IMPELLER BLADES	HITCH CATEGORY	TRACTOR PTO HP	WEIGHT
SEL54 P/T	54"	18"	5	I	25	462
SEL60 P/T	60"	18"	5	I	25	495
SEL68 P/T	68"	21"	5	I	35	671
SEL72 P/T	72"	21"	5	I	35	685
SEL78 P/T	78"	23"	5	I & II	50	900
SEL87 P/T	87"	27"	5	II	60	1,175
SEL97 P/T	97"	27"	5	II	60	1,225



PULL-TYPE SNOWBLOWERS

FEATURES:

- 5 blade impeller
- 7 year limited warranty
- High tensile steel flighting
- Standard manual chute deflector (all)
- Multi-hinged deflector (SEL68P/T – SEL97P/T)
- Standard manual chute rotator (SEL54PT & SEL60PT)



Loader Mount

LOADER MOUNT SNOW BLOWERS

FEATURES:

- Hydraulic Chute Rotation
- Hydraulic Chute Deflector
- Contains self-contained power pack

Available with the following quick tach:
(Must be specified at time of order)

- Universal skidsteer
- Euro (ALO)
- JD 440/540 combination



SUNDOWN LOADER MOUNT SNOWBLOWERS

MODELS	WORKING WIDTH	WEIGHT
SELB66	66"	928
SELB76	76"	970
SELB86	86"	1000

Skid Steer Mount

SKID STEER SNOWBLOWERS

FEATURES:

- Adjustable blower fan tolerance for increased performance
- Auger has new teeth
- New curved chute for a more direct stream
- 5 blade impeller
- Direct fan drive mounted
- Up To 4439 ft/min fan tip speed
- Pivoting hitch plate
- Hitch plate height adjustable
- Solid side plate construction for added strength and rigidity
- Offset chute for better operator vision
- Hydraulic line check valve allow overrun and prevents reverse rotation
- Solenoid valve feature allows for use of hydraulic rotator motor and hydraulic deflector



SUNDOWN SKID STEER SNOWBLOWERS

MODELS	WORKING WIDTH	WEIGHT
SELB62	62"	910
SELB62	66"	928
SELB76	76"	970
SELB86	86"	1000
SELB96	96"	1085

Skid Steer Mount

SKID STEER SNOWBLOWERS

FEATURES:

- The new patented backdrag option minimizes the need for shoveling by allowing operators to remove snow as close as 6 inches from any walls.
- The built-in yellow indicators provide guidance to operators as they approach structures, offering assistance and prompting them before engaging the backdrag functionality
- The new 3D floating hitch provides smooth operation on uneven surfaces by offering side-to-side, up-and-down, and front-to-back motion
- With the 3D floating hitch, an uninterrupted scrape is achieved, resulting in a cleaner surface and reducing the need for salt.
- The dual articulating chute gives users unprecedented control over snow placement, with 270 degrees of motion and the ability to blow snow as close as 3 feet or as far as 45 feet.



ICE SHARK SNOWBLOWERS, COMPACT & STANDARD FLOW

MODELS	OVERALL LENGTH WITHOUT BACKDRAG	OVERALL LENGTH WITH BACKDRAG	OVERALL WIDTH	CUTTING WIDTH	HYDRAULIC PRESSURE
48"	46"	-	53"	48"	3500 PSI
60"	46"	57.8"	65"	60"	3500 PSI
72"	46"	57.8"	77"	72"	3500 PSI
84"	46"	57.8"	89"	84"	3500 PSI

ICE SHARK SNOWBLOWERS, HIGH FLOW

MODELS	OVERALL LENGTH WITHOUT BACKDRAG	OVERALL LENGTH WITH BACKDRAG	OVERALL WIDTH	CUTTING WIDTH	HYDRAULIC PRESSURE
72"	49.3"	61.3"	77"	72"	4200 PSI
84"	49.3"	61.3"	89"	84"	4200 PSI

Steiner/Ventrac Snowblowers



STEINER/VENTRAC SNOWBLOWERS

FEATURES:

- Designed to fit Steiner and Ventrac tractor
- Hydraulic chute rotation for smooth blowing
- Ideal for rural driveways and smaller commercial yards

STEINER/VENTRAC SNOWBLOWERS

MODELS	WORKING WIDTH	WEIGHT
SBVEN48	48"	475
SBVEN54	54"	488



Self-Powered

SELF-POWERED SNOWBLOWERS

FEATURES:

- Designed for tractors and compact skid loaders without hydraulic remotes.
- Easy to attach with no drive lines or hoses required.
- Engine belt drives the shaft, transferring power to the rotor via a roller chain.
- Ideal for moving snow quickly and with precision.
- Flared body opening helps cut snow and direct it to the efficient rotor assembly.



SUNDOWN LOADER MOUNT SNOWBLOWERS

MODELS	WORKING WIDTH	WEIGHT
S1054E	47"	470
S1060E	53"	545

UTV Mount

UTV MOUNT SNOW BLOWERS

FEATURES:

- Design to Fit Most Leading UTV Models
- 14 Horsepower Vanguard Engine
- 54 Inch Cutting Width
- Built to the Same Standard as Meteor Snowblowers
- Universal Mount Plate
- Raised and Lowered Using UTV Winch



SUNDOWN LOADER MOUNT SNOWBLOWERS

MODELS	WORKING WIDTH	WEIGHT
UTVST54	54"	335

Walk-Behind, Single Stage, Battery

EGO

- Effortlessly clear snow with zero emissions and minimal noise.
- Battery-Powered: Utilizes EGO's advanced lithium-ion battery technology for long runtime and cordless convenience.
- Easily adjustable chute direction and angle for precise snow placement.
- Built-in LED lights for improved visibility during early morning or evening snow clearing.
- Adjustable speed settings for personalized control and efficient snow removal.



EGO SINGLE STAGE SNOWBLOWERS

MODELS	CHUTE ADJUSTMENT	THROWING DISTANCE	WORKING WIDTH
SNS1200	60 degree	25'	21"
SNT2100	180 degree	35'	21"
SNT2110	180 degree	40'	21"
SNT2130	Remote chute pitch & direction	45'	21"
SNT2120AP	180-degree rear chute control	45'	21"

Walk-Behind, 2-Stage, Battery

EGO 2-STAGE SNOWBLOWERS

MODELS	CHUTE ADJUSTMENT	THROWING DISTANCE	WORKING WIDTH
SNT2400	200-degree rear chute control	50'	24"
SNT2410	2-IN-1 Electronic	50'	24"
SNT2800	2-IN-1 Electronic	50'	28"



Walk-Behind, 2-Stage, Gas

HONDA SNOWBLOWERS

Honda Snowblowers deliver reliable, high-performance snow removal with advanced engineering, ensuring efficient operation and durability in all winter conditions.

HONDA

HONDA SNOWBLOWERS

MODELS	CLEARANCE	THROWING DISTANCE
HSS724AAW	24" wide, 1500 lb./min.	Up to 49 feet
HSS724AAWD	24" wide, 1500 lb./min.	Up to 49 feet
HSS724AAT	24" wide, 1500 lb./min.	Up to 49 feet
HSS724AATD	24" wide, 1500 lb./min.	Up to 49 feet
HSS928AAW	28" wide, 1900 lb./min.	Up to 52 feet
HSS928AAWD	28" wide, 1900 lb./min.	Up to 52 feet
HSS928AAT	28" wide, 1900 lb./min.	Up to 52 feet
HSS928AATD	28" wide, 1900 lb./min.	Up to 52 feet
HSS1332AAT	32" wide, 2750 lb./min.	Up to 56 feet
HSS1332ATD	32" wide, 2750 lb./min.	Up to 56 feet
HSM1336I2	36" width, 3000 lb./min.	Up to 3000 lb./min



3-Point Mount



3-POINT ROTARY BROOM

FEATURES:

- Designed for use by contractors, municipalities, institutions, and farmers.
- 32 inch diameter convoluted brushes available in Poly (P) or both Poly and Wire (PW).
- All models available in 5-ft., 6-ft. and 7-ft. widths.



3-POINT ROTARY BROOM

MODELS	SWEEPING WIDTH	WEIGHT
RMB-325P	60"	640
RMB-325PW	60"	637
RMB-326P	72"	740
RMB-326PW	72"	736
RMB-327P	84"	840
RMB-327PW	84"	833

Skid Steer Or Loader Mount



SKID STEER ROTARY BROOM

FEATURES:

- Designed for use by contractors, municipalities, institutions, and farmers.
- Hydraulically driven skid steer models in 5-ft., 6-ft., and 7-ft. widths with 32" diameter brushes.
- Variable flow control valve for optimum broom speed.



3-POINT ROTARY BROOM

MODELS	SWEEPING WIDTH	WEIGHT
SSMB-325P	60"	720
SSMB-325PW	60"	714
SSMB-326P	72"	780
SSMB-326PW	72"	774
SSMB-327P	84"	840
SSMB-327PW	84"	833

Loader Mount



FRONT LOADER MOUNTED ROTARY BROOMS

FEATURES:

- Hydraulically driven front loader models in 5-ft., 6-ft., and 7-ft. widths with 32" diameter brushes.
- An independent hydraulic system powered by the tractor PTO, 10-20 GPM hydraulic flow may be required depending on tractor model.
- Check with your Territory Manager for appropriate mounting brackets for your tractor.



FRONT LOADER MOUNTED ROTARY BROOMS

MODELS	SWEEPING WIDTH	WEIGHT
ULMB-325P	60"	711
ULMB-325PW	60"	705
ULMB-326P	72"	771
ULMB-326PW	72"	765
ULMB-327P	84"	831
ULMB-327PW	84"	824

JOHN DEERE FRONT LOADER MOUNTED ROTARY BROOMS

MODELS	SWEEPING WIDTH	WEIGHT
JDMB-325P	60"	737
JDMB-325PW	60"	731
JDMB-326P	72"	797
JDMB-326PW	72"	791
JDMB-327P	84"	857
JDMB-327PW	84"	850

Skid Steer Mount

X-TREME DUTY BROOM

FEATURES:

- Available in both hydraulic and manual angle versions.
- Reversible high torque parker motor
- Extended hood for debris blocking
- Replaceable slide on bristles
- Sweep away dirt, light snow, and other debris.



X-TREME DUTY BROOM

MODELS	SWEEPING WIDTH	WEIGHT
XHAB48	48"	785 lbs
XHAB60	60"	833 lbs
XHAB72	72"	912 lbs
XHAB84	84"	1,029 lbs
XHAB96	96"	1,101 lbs
XMAB48	48"	770 lbs
XMAB60	60"	818 lbs
XMAB72	72"	897 lbs
XMAB84	84"	1012 lbs
XMAB96	96"	1055 lbs

HYDRAULIC ANGLE BROOM

FEATURES:

- Drive slips out of core without removing hydraulic lines from wheel motor
- Brush core is reversible for even brush wear
- 32" diameter brush for longer life
- Angles manually 30° left/right
- Faceted hood design provides maximum strength at ends of the hood
- Choose poly, wire, or poly/wire brush



HYDRAULIC ANGLE BROOM

MODELS	SWEEPING WIDTH	WEIGHT
60"	60"	845 lbs
72"	72"	895 lbs
84"	84"	945 lbs
96"	96"	995 lbs

Mini Skid Steer Snow Brooms

SWEEPSTER CT SWEEPER 226

FEATURES:

- Dethatching lawns, snow removal, cleaning sidewalks, general clean up
- 26" diameter brush heads
- 42", 48" & 60" widths available
- Polypropylene and wire brushes available
- Quick change core



SWEEPSTER CT SWEEPER 226

MODELS	SWEEPING WIDTH	MOUNT
22641PM-0961	42"	CII
22641MM-0961	42"	CII
22642PM-0961	42"	CII
22642MM-0961	42"	CII
22647PM-0961	48"	CII
22647MM-0961	48"	CII
22648PM-0961	48"	CII
22648MM-0961	48"	CII
22660PM-0961	60"	CII
22660MM-0961	60"	CII

Walk-Behind Snow Brooms

MEYER TURBO BROOM™

FEATURES:

- A high-performance broom ideal for high traffic walkways. It is ideal for paver and other textured surfaces as its durable poly bristles penetrate where snow throwers can't reach.



MEYER TURBO BROOM™

MODEL	WIDTH	WEIGHT
AMW-00091	36"	390



Walk-Behind

SPYKER SALT & SAND SPREADERS

FEATURES:

- Spyker ERGO-PRO™ Walk-Behind Salt Spreader is ideal for tough winter jobs, as it is capable of spreading salt, ice melt and more.
- Features a stainless steel carving blade to slice through dense materials like ice melt and rock salt, and the reflective frame adds visibility in poor weather conditions.



SALT & SAND SPREADERS

MODELS	DESCRIPTION	WEIGHT
SPY50L-2S	50 lb Ergo-Pro, Push, SS	50
SPY100-2S	100 lb Ergo-Pro, Push, SS	100

MEYER HOTSHOT

FEATURES:

- Comes in three broadcast models.
- Easy-to-maneuver.
- Can be used to apply a variety of materials including rock salt and ice melt, top-dress, sand, limestone, and fertilizer.



SALT & SAND SPREADERS

MODELS	DESCRIPTION	WEIGHT
HotShot 100 HD	Holds 2 bags of fertilizer or ice melt, rust-proof stainless steel frame	100
HotShot 70	Holds 1.5 bags of fertilizer or ice melt, heat-treated carbon steel frame.	70
HotShot 70 HD	Holds 1.5 bags of fertilizer or ice melt, rust-proof stainless steel frame.	70
HotShot 85	Holds 85 pounds of bagged free-flowing #1 rock salt or free-flowing granular material.	85

3-Point Salt & Sand Spreaders



MODEL P-PRO SAND SALT SPREADER

FEATURES:

- Professional conical salt spreader equipped with stainless steel hopper, powder-coated frame with zinc-based primer

Standard Equipment:

- Gearbox 3.25:1 for control speed
- Powder coating
- Stainless steel disc and fins
- Stainless steel standard limiter
- Stainless steel rear shield
- Stainless steel salt distributing part & nuts
- Hopper grid
- Salt/sand agitator
- PTO shaft

PLS SALT SPREADER

FEATURES:

- Plastic conical hopper salt spreader equipped with four fins fitted to the spreading disc, reinforced gearbox, bolts & nuts in stainless steel for spreading salt and sand

Standard Equipment:

- Plastic hopper
- Stainless steel disc and fins
- Long opening lever
- Two lateral discharge exits with stainless steel shutters
- Reinforced gear box
- Chain agitator
- PTO shaft



Lights kits are optional.



Lights kits & spread limiter are optional.

CONICAL PLS SALT SPREADERS WITH POLY HOPPERS

MODELS	CAPACITY (CUBIC FEET)	CAPACITY (LBS.)	SPREADING WIDTH	HOPPER WIDTH	OVERALL HEIGHT	HITCH CATEGORY	WEIGHT
PLS180	5.9	350	49'	35"	37"	I	119
PLS400	10.4	650	49'	41"	43"	I	132
PLS500	12.6	840	49'	43"	47"	I	136

P-PRO DRY SAND/SALT SPREADERS

MODELS	CAPACITY (CUBIC FEET)	CAPACITY (LBS.)	SPREADING WIDTH	MINIMUM HORSEPOWER	OVERALL HEIGHT	HITCH CATEGORY	WEIGHT
P-PRO-180	6.4	441	3'-46"	20	37"	I	342
P-PRO-300	28.0	705	3'-46"	20	44"	I	370

3-Point

VORTEX SPREADER

FEATURES:

- Stainless steel container
- Spreading adjustment (3'3" - 16'4")
- Equipped with a safety curtain and protection grill



SAHARA SPREADER

MODELS	CAPACITY (LBS.)	SPREADING WIDTH	WEIGHT WITH SAND
VORTEX 600	21.1 - 35.3 (option)	4'11" - 26'2"	529
VORTEX 600 E	21.1 - 35.3 (option)	4'11" - 26'2"	529

HERD SALT & SAND SPREADERS

FEATURES:

- Rugged enough for heavy-duty ice control usage
- Ideal for personal or commercial parking lots, driveways, and sidewalks of any size
- Able to spread wet sand stored outside, and sand mixed with salt or calcium chloride



SALT & SAND SPREADERS

MODELS	DESCRIPTION	WEIGHT
5.5	Wet Sand Spreader; 550 lb. Sand Capacity	211
750S	Wet Sand Spreader; 1200 lb. Sand Capacity	237
1200S	Wet Sand Spreader; 2000 lb. Sand Capacity	305
750SSS	750S (less PTO), Skid Steer Plate & 267	362
SCP2011	"Scoop & Spread" Skid Steer Salt/Sand Scoop Spreader	525

3-Point Or Tow

ROLLER SPREADER

FEATURES:

- Ideal for spreading sand/salt, pebbles or similar material
- H-Model has a hydraulic motor and is 3-point only.



ROLLER SPREADER

MODELS	CAPACITY (gallons)	SPREADING WIDTH	WEIGHT
SPR-250	66	61"	287
SPR-250H	66	55"	287

3-Point Or Skid Steer

ROLLER SPREADER

FEATURES:

- Made of high strength steel (Domex 420) with wear steel on the top and bottom.
- Equipped with a hydraulic engine and a powerful chain drive to operate the roller with spiral knobs and an agitator for uniform material spreading



ROLLER SPREADER

MODELS	CAPACITY (gallons)	SPREADING WIDTH	WEIGHT
FSK-400GA	106	47"	584 lb.
FSK-800GA	211	59"	771 lb.
FSK-1000GA	264	79"	1020 lb.
FSK-1500GA	396	91"	1124 lb.

Skid Steer

SAHARA SPREADER

FEATURES:

- Self-loading system & quick emptying system
- Hydraulic dispensing adjustment (knob)
- Equipped with a safety curtain & road lights



SAHARA SPREADER

MODELS	CAPACITY (LBS.)	SPREADING WIDTH	WEIGHT WITH SAND
SAHARA 140	17.7	4'7"	up to 2 369
SAHARA 200	49.4	6'6"	up to 6 393
SAHARA 240	56.5	7'10"	up to 7 716

Tailgate

Meyer Tailgate Spreaders



FEATURES:

- Base Line tailgate spreaders work exceptionally well with SUVs, light pick-up trucks, tractors and utility vehicles.
- Blaster Spreaders are compatible with 1/2-ton and larger trucks with a two-inch receiver, and tractors with a three-point hitch.



TAILGATE SPREADERS

MODELS	DESCRIPTION	WEIGHT
BL 240	Available in a 3.7-cubic-foot capacity.	240
BL 400	Available in a 6.3-cubic-foot capacity.	400
BL 750	Available in a 10.5-cubic-foot capacity.	750
Blaster 350	Available in a 6.5-cubic-foot capacity.	350
Blaster 350S w/ Vibrator	Available in a 6.5-cubic-foot capacity.	350
Blaster 750R	Available in a 12.8-cubic-foot capacity.	750
Blaster 750RS w/ Vibrator	Available in a 12.8-cubic-foot capacity.	750

Insert

MEYER INSERT SPREADERS



FEATURES:

- Transform your pickup truck, utility vehicle, or ATV into a salt-spreading champion with one of Meyer's insert hopper spreaders.
- Ideal for large-scale spreading jobs.
- Perfect to pair with one of our commercial plows to create a truck that's built for tackling snow.



INSERT SPREADERS

MODELS	CAPACITY
Elite Pickup Truck Insert Spreader	LPV - 0.5, PV - 1.5 and 2.0 cubic yards
Base Line 600 & 800 Insert Spreaders	1.5 cubic yards or 2.0 cubic yards
Elite Cab & Chassis Insert Spreader	3.5 and 4.5 cubic yards
Crossfire Insert Spreader	1.5 or 2.0 cubic yards
Polyhawk Insert Spreader	1.5 cubic yards, 2.0 cubic yards

Dump Trucks



MEYER DUMP TRUCK SPREADERS

FEATURES:

- Transform your pickup truck, utility vehicle, or ATV into a salt-spreading champion with one of Meyer's insert hopper spreaders.
- Ideal for large-scale spreading jobs.
- Perfect to pair with one of our commercial plows to create a truck that's built for tackling snow.



DUMP TRUCK SPREADERS

MODELS	CAPACITY
Base Line 960 Dump Truck Spreader	N/A (empty weight 450 lbs)
Cross Conveyor Dump Truck Spreader	2500 lbs
RTG Premium Dump Truck Spreader	N/A (empty weight 540 lbs)
UTG Premium Dump Truck Spreader	N/A (empty weight up to 571 lbs)

Anti-Icer Liquid Applicators



MEYER INSERT SPREADERS

FEATURES:

- Fit into the bed of pickup trucks and ATVs.
- Disperse a brine mixture that prevents snow and ice from bonding to pavement.



LIQUID APPLICATOR

MODELS	MOTOR	FLOW RATE
Anti-Icer Liquid Applicator	5.5 HP Honda with electric wireless start	One-lane coverage; 8-20 gallons per minute and 60 PSI

Loader Or Skid Steer Mount

PALADIN SNOW BUCKETS

FEATURES:

- Equipped with a cut out back plate for better visibility.
- Quickly attaches to all skid-steer, backhoe, utility loader and small wheel loader brands.
- Optional Bolt on edge available.



PALADIN SNOW BUCKETS

MODELS	WEIGHT	WIDTH	DEPTH
11184	733	84"	42"
11196	795	96"	42"
11197	999	96"	46.2"
11101	820	101.5"	42"
11102	1020	101.5"	46.2"
11108	1078	108"	46.2"

CID HIGH-CAPACITY SNOW-N-LITTER BUCKET

FEATURES:

- Equipped with a cut out back plate for better visibility.
- Quickly attaches to all skid-steer, backhoe, utility loader and small wheel loader brands.
- Optional Bolt on edge available.



CID SNOW BUCKETS

MODELS	WEIGHT	WIDTH	DEPTH
HCSB60	503	60"	40"
HCSB66	554	66"	40"
HCSB72	604	72"	40"
HCSB78	646	78"	40"
HCSB84	684	84"	40"
HCSB90	724	90"	40"
HCSB96	742	96"	40"
HCSB102	724	102"	40"
HCSB108	779	108"	40"

Loader Or Skid Steer Mount



20 SERIES SNOW PUSHERS		
MODELS	DESCRIPTION	WEIGHT
20-Series for Sub-Compact Tractors with Skid Steer Attaching System:		
SPS-2048R	4' Snow Pusher w/ Rubber Edge	146 lbs.
SPS-2048M	4' Snow Pusher w/ Metal Edge	163 lbs.
SPS-2060R	5' Snow Pusher w/ Rubber Edge	159 lbs.
SPS-2060M	5' Snow Pusher w/ Metal Edge	180 lbs.
20-Series for John Deere 200/300/400/D120/H120/H130/D160/H160 Series Loaders with JD attaching system:		
SPJD-2048R	4' Snow Pusher w/ Rubber Edge	131 lbs.
SPJD-2048M	4' Snow Pusher w/ Metal Edge	148 lbs.
SPJD-2060R	5' Snow Pusher w/ Rubber Edge	145 lbs.
SPJD-2060M	5' Snow Pusher w/ Metal Edge	435 lbs.

24 SERIES SNOW PUSHERS		
MODELS	DESCRIPTION	WEIGHT
SPS-2460R	5' Snow Pusher w/ Rubber Edge	390 lbs.
SPS-2460M	5' Snow Pusher w/ Metal Edge	410 lbs.
SPS-2472R	6' Snow Pusher w/ Rubber Edge	430 lbs.
SPS-2472M	6' Snow Pusher w/ Metal Edge	450 lbs.
SPS-2484R	7' Snow Pusher w/ Rubber Edge	465 lbs.
SPS-2484M	7' Snow Pusher w/ Metal Edge	485 lbs.
SPJD-2460R	5' JD Snow Pusher w/ Rubber Edge	379 lbs.
SPJD-2460M	5' JD Snow Pusher w/ Metal Edge	399 lbs.
SPJD-2472R	6' JD Snow Pusher w/ Rubber Edge	415 lbs.
SPJD2472M	6' JD Snow Pusher w/ Metal Edge	435 lbs.
SPJD-2484R	7' JD Snow Pusher w/ Rubber Edge	450 lbs.
SPJD-2484M	7' JD Snow Pusher w/ Metal Edge	470 lbs.

36 SERIES SNOW PUSHERS		
MODELS	DESCRIPTION	WEIGHT
SPS-3696R	8' Snow Pusher w/ Rubber Edge	815 lbs.
SPS-36120R	10' Snow Pusher w/ Rubber Edge	905 lbs.
SPJD-3696R	8' Snow Pusher w/ Rubber Edge	780 lbs.
SPJD-36120R	10' Snow Pusher w/ Rubber Edge	870 lbs.
SPG-3696R	8' Snow Pusher w/ Rubber Edge	810 lbs.
SPG-36120R	10' Snow Pusher w/ Rubber Edge	900 lbs.
SPB-3696R	8' Snow Pusher w/ Rubber Edge	762 lbs.
SPB-36120R	10' Snow Pusher w/ Rubber Edge	864 lbs.
SPC-3696R	8' Snow Pusher w/ Rubber Edge	865 lbs.
SPC-36120R	10' Snow Pusher w/ Rubber Edge	967 lbs.



Designed to fit compact and sub-compact tractors with loaders that utilize the "universal" skid steer attaching system. Models are also available for John Deere loaders using the 200/300/400 attaching system.

Loader Or Skid Steer Mount



COMPACT TRACTOR SNOW PUSHER

FEATURES:

- Scaled-down version of full-size pusher, designed for compact tractors.
- Ideal for accessing areas that larger machines cannot reach.
- Low-profile design offers greater visibility for small tractors and mini skid steers.
- Available with a rubber edge for enhanced performance.

XTREME DUTY SNOW PUSHER

FEATURES:

- Clear a parking lot quicker than a snow plow.
- Features a 1-1/2" thick x 8" wide edge.
- Edge is adjustable, reversible, and replaceable rubber to prevent pavement damage.
- 1/4" thick mold board.
- 3/8" thick sides for extra support.

COMPACT TRACTOR SNOW PUSHER

MODELS	WORKING WIDTH	WEIGHT
CTSPUSH48	48"	298
CTSPUSH60	60"	372
CTSPUSH72	72"	859
CTSPUSH84	84"	445
CTSPUSH96	96"	509
CTSPUSH120	120"	636
CTSPUSH144	144"	943

MODELS	WORKING WIDTH	WEIGHT
SPUSH60	60"	713
SPUSH72	72"	775
SPUSH84	84"	836
SPUSH90	90"	904
SPUSH96	96"	971
SPUSH108	108"	985
SPUSH120	120"	1052
SPUSH144	144"	1133



Loader Or Skid Steer Mount

FFC® Snow Push

FEATURES:

- Engineered of heavy duty, fully welded steel with 3/8" thick end plates to capture and remove even the heaviest snow without leaving windrows or spillover.
- Optional Pull Back Kit draws back snow from buildings, fences and confined areas.



228 SERIES

MODELS	WORKING WIDTH	WEIGHT
22812	149.7"	2485 lbs
22814	173.7"	2660 lbs
22816	197.7"	2835 lbs
22820	245.7"	3185 lbs



232 SERIES

MODELS	WORKING WIDTH	WEIGHT
23272-0022	77.3"	525 lbs
23284-0022	89.3"	570 lbs
23296-0022	101.3"	610 lbs
23220-0022	125.3"	705 lbs



233 SERIES

MODELS	WORKING WIDTH	WEIGHT
23396	101.5"	1100 lbs
23320	125.5"	1230 lbs
23344	149.5"	1375 lbs
23368	173.5"	1505 lbs



Loader Or Skid Steer Mount

COMPACT TRACTOR SNOW PUSH

FEATURES:

- Designed to mount on tractor front-end loaders with universal skid steer style mountings.
- Lift capacity of the loader should be less than 2,000 lbs.
- Side wearing skids and a rubber cutting edge.



COMPACT TRACTOR SNOW PUSH

MODELS	WORKING WIDTH	WEIGHT
10707-60-0822	62.3"	415 lbs
10707-72-0822	74.3"	450 lbs
10707-84-0822	86.3"	484 lbs
10707-96-0822	98.3"	518 lbs

COMPACT TRACTOR TRIP EDGE MODELS

MODELS	WORKING WIDTH	WEIGHT
10709-78-0822	80.4"	850 lbs
10709-96-0822	98.4"	930 lbs
10709-08-0822	110.4"	990 lbs
10709-20-0822	119.9"	1030 lbs





Loader Or Skid Steer Mount

MODELS	DESCRIPTION	WEIGHT
SBC-2160	5' Clamp-On Snow Blade for compact tractors. Uses chain & turnbuckle system. 21" high moldboard.	305 lbs.
SBC-2172	6' Clamp-On Snow Blade for compact tractors. Uses chain & turnbuckle system. 21" high moldboard.	331 lbs.

5' SNOW BLADES



MODELS	DESCRIPTION	WEIGHT
SBS-2160	5' Snow Blade for compact tractors 40 HP or less with loaders that utilize the "Universal" quick-attach system. 21" high moldboard.	334 lbs.
SBFL-2160	5' Snow Blade for compact tractors 40 HP or less. 21" high moldboard. Shipped less brackets. Optional interfacing brackets available.	347 lbs.
SBJD-2160	5' Snow Blade for JD 200, 300, 400 loaders equipped with JD QA System.	334 lbs.
SBS-2172	6' Snow Blade for compact tractors 40 HP or less w/ loaders that utilize the "Universal" quick-attach system. 21" high moldboard.	350 lbs.
SBFL-2172	6' Snow Blade for compact tractors 40 HP or less. 21" high moldboard. Shipped less brackets. Optional interfacing brackets available.	366 lbs.
SBJD-2172	6' Snow Blade for JD 200, 300, 400 loaders equipped with JD QA System.	350 lbs.

HD 7.5' SNOW BLADES



CLAMP-ON SNOW BLADES



MODELS	DESCRIPTION	WEIGHT
SBS-2160	5' Snow Blade for compact tractors 40 HP or less with loaders that utilize the "Universal" quick-attach system. 21" high moldboard.	334 lbs.
SBFL-2160	5' Snow Blade for compact tractors 40 HP or less. 21" high moldboard. Shipped less brackets. Optional interfacing brackets available.	347 lbs.
SBJD-2160	5' Snow Blade for JD 200, 300, 400 loaders equipped with JD QA System.	334 lbs.

6' SNOW BLADES



MODELS	DESCRIPTION	WEIGHT
SBS-2790A	HD 7.5' Snow Blade for Skid Steer Loaders. 5° lateral oscillation & manual angle adj. std. 27" high moldboard.	530 lbs.
SBFL-2790A	HD 7.5' Snow Blade for tractor front loaders. 5° lateral oscillation and manual angle adj. std. 27" high moldboard. Optional interfacing brackets available.	555 lbs.
SBG-2790A	HD 7.5' Snow Blade for tractor front loaders w/ Global/Euro carrier system. 5° lateral oscillation and manual angle adj. std. 27" high moldboard.	530 lbs.
SBJD-2790A	HD 7.5' Snow Blade for JD 400/500 series front loaders. 5° lateral oscillation and manual angle adj. std. 27" high moldboard.	530 lbs.

Loader Or Skid Steer Mount



HD 9' SNOW BLADES



MODELS		WEIGHT
SBS-27108A	HD 9' Snow Blade for Skid Steer Loaders. 5° lateral oscillation and hyd. angle adj. with cross-over relief valve, 27" high moldboard.	665 lbs.
SBFL-27108A	HD 9' Snow Blade for Tractor Front Loaders. 5° lateral oscillation and hyd. angle adj. With cross-over relief valve, 27" high moldboard. Optional interfacing brackets available.	690 lbs.
SBG-27108A	HD 9' Snow Blade for tractor front loaders w/ Global / Euro carrier system. 5° degree lateral oscillation and hyd. angle adj. w/crossover relief valve, 27" high moldboard.	665 lbs.
SBJD-27108A	HD 9' Snow Blade for JD 400/500 series front loaders. 5° degree lateral oscillation and hyd. Angle adj. w/ crossover relief valve, 27" high moldboard.	665 lbs.

Loader Or Skid Steer Mount



CID COMPACT TRACTOR SNOW PLOW

FEATURES:

- Allows you to quickly clear driveways and parking lots. This plow is designed for compact tractors under 45 HP. Easily angle the plow with the 2" x 6" hydraulic cylinder. It also comes with a replaceable cutting edge. The compact tractor snow plow is also available with a manual angle.
- Designed for compact tractors. Available in manual angle. 2" x 6" hydraulic cylinder. Available Sizes: 60", 72", 84".

COMPACT TRACTOR SNOW PLOW

MODELS	WORKING WIDTH	WEIGHT
CTSPLOW48	48"	437
CTSPLOW54	54"	453
CTSPLOW60	60"	485
CTSPLOW66	66"	495
CTSPLOW72	72"	516
CTSPLOW78	78"	526
CTSPLOW84	84"	548
CTSPLOW96	96"	552
CTSPLOWM48	48"	365
CTSPLOWM54	54"	411
CTSPLOWM60	60"	457
CTSPLOWM66	66"	495
CTSPLOWM72	72"	500
CTSPLOWM78	78"	510
CTSPLOWM84	84"	519
CTSPLOWM96	96"	547

CID X-TREME DUTY SNOW PLOW

FEATURES:

- Designed for tractors with 65+ HP.
- Ideal for driveways and parking lots.
- Easily angle the plow from within your cab using the 3" x 6" hydraulic cylinder.
- Prevents snow from coming back toward the cab.
- Features a 1/2" bolt-on cutting edge.
- Adjustable snow shoes included as standard.
- The 144" model is available in hydraulic only.

X-TREME DUTY SNOW PLOW

MODELS	WORKING WIDTH	WEIGHT
XSPLOW72	72"	812
XSPLOW84	84"	857
XSPLOW96	96"	948
XSPLOW108	108"	1062
XSPLOW120	120"	1180
XSPLOW144	144"	1311
XSPLOWM72	72"	812
XSPLOWM84	84"	857
XSPLOWM96	96"	948
XSPLOWM108	108"	1062
XSPLOWM120	120"	1180
XSPLOWM144	144"	1311



Loader Or Skid Steer Mount

SUNDOWN LIGHT DUTY V-PLOW

FEATURES:

- Terrain following
- Operating position: + 30° & - 30°
- Folding safety overload blades
- Hydraulic working pressure: 2320 to 2900 PSI



LIGHT DUTY V PLOWS

MODELS	SIZE MIN/MAX	MOUNTING	WEIGHT
CPLV150-M26	52" / 59"	Univ-SS	311
CPLV180-M26	61" / 70"	Univ-SS	381
CPLV200-M26	68" / 78"	Univ-SS	397
CPLV150-M100JD	52" / 59"	JD	311
CPLV180-M100JD	61" / 70"	JD	381
CPLV200-M100JD	68" / 78"	JD	397

SUNDOWN STANDARD DUTY V-PLOW

FEATURES:

- Terrain following
- Operating position: + 26°
- Folding safety overload blades
- Hydraulic working pressure: 2320 to 2900 PSI



STANDARD DUTY V PLOWS

MODELS	SIZE MIN/MAX	MOUNTING	WEIGHT
CPSV200-M26	73" / 80"	Univ-SS	701
CPSV220-M26	78" / 87"	Univ-SS	719
CPSV260-M26	94" / 104"	Univ-SS	818
CPSV290-M26	99" / 115"	Univ-SS	884
CPSV200-EURO	73" / 80"	EURO	701
CPSV220-EURO	78" / 87"	EURO	719
CPSV260-EURO	94" / 104"	EURO	818
CPSV290-EURO	99" / 115"	EURO	884

Loader Or Skid Steer Mount

SUNDOWN HEAVY DUTY V-PLOW

FEATURES:

- Terrain following
- Operating position: + 30° & - 30°
- Folding safety overload blades
- Hydraulic working pressure: 2320 to 2900 PSI



HEAVY DUTY V PLOWS

MODELS	SIZE MIN/MAX	MOUNTING	WEIGHT
CPCV260-M26	90" / 103"	Univ-SS	999
CPCV290-M26	100" / 116"	Univ-SS	1045
CPCV330-M26	114" / 130"	Univ-SS	1135
CPC260-EURO	90" / 103"	EURO	999
CPCV290-EURO	100" / 116"	EURO	1045
CPCV330-EURO	114" / 130"	EURO	1135

CITY LIGHT V-PLOW

FEATURES:

- Frontal load capacity: up to 1.5 tons
- Designed to work with a wide range of vehicles
- Developed with a number of frame types
- Clear snow from public walkways, paths and neighborhood roads.



CITY LIGHT PLOWS

MODELS	SIZE MIN/MAX	MOLDBOARD HEIGHT	WEIGHT
CITY 150	4'4" / 4'11"	1'11" / 2'2"	287
CITY 180	5'2" / 5'10"	1'11" / 2'3"	320
CITY 200	5'8" / 6'6"	1'11" / 2'4"	341
CITY 220	6'4" / 7'2"	1'11" / 2'5"	363

Loader Or Skid Steer Mount



PSV V-PLOW

FEATURES:

- Permissible frontal load: up to 6 tons
- Can be used with other mobile machines (e.g., telescopic loaders, backhoe loaders) thanks to an adapter
- Used for clearing snow from parking lots, roads, and all other hardened and unpaved surfaces



PSV V-PLOW

MODELS	SIZE MIN/MAX	MOLDBOARD HEIGHT	WEIGHT
PSV 161	5'0" / 5'4"	2'7" / 2'2"	507
PSV 181	5'3" / 6'0"	2'7" / 2'2"	540
PSV 201	5'11" / 6'7"	2'7" / 3'0"	573
PSV 231	6'7" / 7'7"	2'7" / 3'1"	661
PSV 251	7'2" / 8'3"	2'7" / 3'1"	782
PSV 271	7'8" / 8'11"	2'7" / 3'2"	815
PSV 301	8'7" / 9'11"	2'7" / 3'3"	903

ALPS V-PLOW

FEATURES:

- Heavy-duty contractor machines
- Permissible front load: up to 12 tons



ALPS V-PLOW

MODELS	SIZE MIN/MAX	MOLDBOARD HEIGHT	WEIGHT
AlpS 271	8'0" / 8'10"	3'3" / 3'6"	1,466
AlpS 301	8'10" / 9'10"	3'3" / 3'7"	1,609
AlpS 331	9'8" / 10'9"	3'3" / 3'8"	1,763
AlpS 361	10'6" / 11'11"	3'3" / 3'6"	1,906
AlpS 401	11'8" / 13'1"	3'3" / 3'9"	1,984

Loader Or Skid Steer Mount



OLIMP V-PLOW

FEATURES:

- Designed to operate in the most difficult weather conditions
- Ideal for commercial as well as residential contractors
- Perfect for snow and ice management of parking lots, side streets, back roads or municipal streets, places with heavy snowfalls



OLIMP V-PLOWS

MODELS	SIZE MIN/MAX	MOLDBOARD HEIGHT	WEIGHT
OLIMP 300	8'7" / 9'10"	3'10" / 4'3"	1,984
OLIMP 330	9'6" / 10'9"	3'10" / 4'4"	2,039

Skid Steer Mount



BRADCO SNOW PLOW

FEATURES:

- Universal skid steer mount only
- Mold board trip mechanism
- 30-degree angle left/right (manual or hydraulic angle)
- Standard with (2) I-bolts, which can be swapped out with trip springs for light dozing applications



BRADCO SNOW PLOWS

MODELS	WIDTH OD	WEIGHT
11448	48"	460 lbs
11460	60"	510 lbs
11472	72"	595 lbs
11484	84"	635 lbs
11496	96"	650 lbs
LAF5784	84"	875 lbs
LAF5796	96"	930 lbs
LAF5708	108"	890 lbs
LAF5720	120"	1065 lbs
LAF5732	132"	1125 lbs
LAF5744	144"	1185 lbs
11584	84"	1125 lbs
11596	96"	1180 lbs
11508	108"	1235 lbs
11520	120"	1315 lbs
11532	132"	1375 lbs
11544	144"	1435 lbs
13684	84"	940 lbs
13696	96"	990 lbs
13608	108"	1030 lbs

Skid Steer Mount

V-BLADE SNOW PLOW

FEATURES:

- A multi-function blade for removal of snow from walks, driveways, or parking lots.
- 32.5" blade height
- Available with hydraulic sequencing valve or electro-hydraulic valve for independent blade function



120 SERIES

MODELS	WIDTH AT FULL "V"	WEIGHT
12050	45.5"	830 lbs
12060	56"	865 lbs
12072	66.5"	920 lbs
12084	77"	975 lbs
12096	87.5"	1020 lbs
12008	98"	1060 lbs
12020	108"	1110 lbs

Zero-Turn Mower Mounted

OHIO STEEL ZERO-TURN MOWER PLOW

FEATURES:

- Fits most mid-mount zero-turn mowers
- Spring-loaded blade has 3 angle adjustments: right, straight, and left
- Adjustable skid shoes
- Foot lift requires minimal physical effort to operate
- Skid shoes and blade edge are replaceable
- 48 in. wide rolled steel blades



OHIO STEEL ZERO-TURN MOWER PLOW

MODELS	WORKING WIDTH	WEIGHT
SP4A Ohio Steel 48" ZTR Snow Blade	48"	106
SP5A Ohio Steel 60" ZTR Snow Blade	60"	132

Truck Mounted Snow Plows, 1/2 Ton & Light Pickups

THE SUPER-V3 LD

FEATURES:

- This bottom-trip commercial-grade plow, featuring LED lights and industry-leading ground clearance, is perfect for contractors with 1/2-ton trucks who need the flexibility of a V-plow.
- Tower section and wing stop supports
- Controller featuring hands-free plowing
- 4/wing vertical ribs
- 14 Steel moldboard gauge



THE SUPER-V3 LD

MODELS	MOUNTING TYPE	VEHICLE SIZE	MOLDBOARD LENGTH	MOLDBOARD HEIGHT	PLOW TRIP SPRINGS	CUTTING EDGE	ANGLING RAMS	LIFT CYLINDER	WEIGHT
SV3-7.5 LD	EZ-Plus	1/2 Ton Only	7'6"	30"-37.5"	2/wing	3/8" x 6"	1 1/4" x 12"	1 3/4 x 8"	582

THE LOT PRO LD

FEATURES:

- This commercial-grade plow full-trip plow is perfect for contractors with 1/2-ton trucks who need to plow large parking lots and streets.
- Tubular push frame
- The Meyer EZ-1 pistol grip controller features diagnostics and a Hands-Free Plowing (HFP) mode.
- 6 vertical ribs
- 14 steel moldboard gauge



THE LOT PRO LD

MODELS	MOUNTING TYPE	VEHICLE SIZE	MOULDBOARD LENGTH	MOULDBOARD HEIGHT	PLOW TRIP SPRINGS	CUTTING EDGE	ANGLING RAMS	LIFT CYLINDER	WEIGHT
LPD-7.6	Plus	1/2 Ton Only	7'6"	28"	2	3/8" x 6"	1 1/2 x 10"	1 3/4 x 8"	610

Truck Mounted Snow Plows, 1/2 Ton & Light Pickups

THE NEW DRIVE PRO

FEATURES:

- This commercial-grade full-trip plow is perfect for clearing snow from tight spots like narrow driveways and alleys that larger trucks just can't get to.
- Available in two different grades of steel; traditional & lightweight, high strength.
- Industry leading ground clearance of 9"
- Available with standard operating system of EZ Mount Plus.
- 8 vertical ribs
- 14 steel moldboard gauge



THE NEW DRIVE PRO

MODELS	MOUNTING TYPE	MOLDBOARD LENGTH	MOLDBOARD HEIGHT	PLOW TRIP SPRINGS	CUTTING EDGE	AVERAGE WIDTH AT FULL ANGLE	ANGLING RAMS	LIFT CYLINDER	WEIGHT
DP-6.0	Drive Pro	6'0"	22.5"	2	1/4 x 6"	65"	1 1/2" x 10"	1 1/2" x 8"	340
DP 6.8	Drive Pro or EZPlus	6'8"	22.5"	2	3/8" x 6"	72"	1 1/2" x 10"	1 1/2" x 8"	365
DP 7.6	Drive Pro or EZPlus	7'6"	26"	2	3/8" x 6"	81"	1 1/2" x 10"	1 1/2" x 8"	395

THE WINGMAN

FEATURES:

- Full-trip plow perfect for business owners, looking to self-manage snow removal in parking lots, roads and alleyways.
- Attach and Detach plow from vehicle in minutes using the Quick Link system compatible with a class-3, 2" front receiver hitch.
- Integrated center wheels make it easy to maneuver & store.
- Pistol grip controller controls up/down & left/right from comfort of the vehicle cab.
- Powered by a commercial-grade hydraulic system & backed by a 5-year warranty.
- 8 vertical ribs
- 14 steel moldboard gauge



THE WINGMAN

MODELS	MOUNTING TYPE	MOLDBOARD LENGTH	MOLDBOARD HEIGHT	PLOW TRIP SPRINGS	CUTTING EDGE	AVERAGE WIDTH AT FULL ANGLE	ANGLING RAMS	LIFT CYLINDER	WEIGHT
WingMan6'8"	2 inch receiver	6'8"	22.5"	2	3/8" x 6"	72"	1 1/2" x 10"	1 1/2" x 8"	371
WingMan7'6"	2 inch receiver	7'6"	26"	2	3/8" x 6"	81"	1 1/2" x 10"	1 1/2" x 8"	400

Truck Mounted Snow Plows, 1/2 Ton & Light Pickups



HomePlow™

FEATURES:

- Clears a long residential driveway in minutes
- Connects with Quick-Link, an easy-to-use component that slides into a Class-3, 2-inch, front-receive hitch.
- Small hydraulic power unit for power-up/gravity-down operation.
- Integrated mounting wheels let you attach or remove in less than a minute.
- Control all plow operations from the warmth, comfort and safety of your vehicle.



HomePlow™

MODELS	DIMENSIONS (Length x Height)	OPERATION	ANGLING	CONTROLLER	WHEELS
BASIC 23250	6'8" x 18"	Electric Lift	Auto with Locking Pin	Wireless	No
ELECTRIC LIFT 24000	6'8" x 22"	Electric Lift	Auto with Locking Pin	Wireless	Yes
FULL-POWERED 26000	6'8" x 22"	Full-Hydraulic Lift	Hydraulic	Wired	Yes
FULL-POWERED 26500	7'6" x 22"	Full-Hydraulic Lift	Hydraulic	Wired	Yes

Truck Mounted Snow Plows, 3/4 Ton Pickups & Larger

THE LOT PRO

FEATURES:

- For contractors who have a lot of snow to clear, the full-trip Lot Pro™ features the tallest and most aggressive contractor-grade moldboard on the market.
- Compatible with a wide range of vehicles, thanks to the EZ-Mount Plus mounting system.
- Hands-free plow
- Tubular push frame
- 6 vertical ribs
- 12 steel moldboard gauge



THE LOT PRO

MODELS	MOUNTING TYPE	MOLDBOARD LENGTH	MOLDBOARD HEIGHT	PLOW TRIP SPRINGS	CUTTING EDGE	AVERAGE WIDTH AT FULL ANGLE	ANGLING RAMS	LIFT CYLINDER	WEIGHT
LP-7.5	Plus	7'6"	32"	4	1/2" x 6"	81"	1 1/2" x 10"	1 3/4" x 8"	766
LP-8.0	Plus	8'0"	32"	4	1/2" x 6"	86"	1 1/2" x 10"	1 3/4" x 8"	783
LP-8.5	Plus	8'6"	32"	4	1/2" x 6"	92"	1 1/2" x 10"	1 3/4" x 8"	801
LP-9.0	Plus	9'0"	32"	4	1/2" x 6"	97"	1 1/2" x 10"	1 3/4" x 8"	816

THE SUPER BLADE

FEATURES:

- An adjustable full-trip commercial-grade plow. It provides extra width at the touch of a button, so it's perfect for plowing narrow areas and open lots.
- The Standard Operating System offers up to 9" of ground clearance for improved stacking and transport height.
- 9 (main blade) vertical ribs, 2 each (wings)
- 12 steel moldboard gauge



THE SUPER BLADE

MODELS	MOUNTING TYPE	MOLDBOARD LENGTH	MOLDBOARD HEIGHT	PLOW TRIP SPRINGS	CUTTING EDGE	AVERAGE WIDTH AT FULL ANGLE	ANGLING RAMS	LIFT CYLINDER	WEIGHT
SUPER BLADE 8-10.5	EZ-Plus	8'0"	32" to 36"	6	1/2 x 6"	87"-111"	2" x 10"	2" x 10"	1175

Truck Mounted Snow Plows, 3/4 Ton Pickups & Larger



THE DIAMOND EDGE

FEATURES:

- Perfect for contractor use. It features the tallest and most aggressive bottom-trip, contractor-class moldboard on the market.
- Equipped with field adjustable springs that do not require any special tools and can be modified in minutes as conditions change.
- 6 vertical ribs
- 12 steel moldboard gauge



THE DIAMOND EDGE

MODELS	MOUNTING TYPE	MOLDBOARD LENGTH	MOLDBOARD HEIGHT	PLOW TRIP SPRINGS	CUTTING EDGE	AVERAGE WIDTH AT FULL ANGLE	ANGLING RAMS	LIFT CYLINDER	WEIGHT
DE2-8.0	EZ-Plus	8'0"	32.5	4	1/2" x 6"	87"	1 1/2" x 10"	1 3/4" x 8"	890
DE2-9.0	EZ-Plus	9'0"	32.5	4	1/2" x 6"	98"	1 1/2" x 10"	1 3/4" x 8"	940

Meyer Snow Plow Parts

SNOW PLOW PARTS

Our inventory includes a comprehensive range of Meyer Snow Plow parts to keep your snow removal equipment running smoothly all season long.

From cutting edges and hydraulic units to controllers and mounting kits, we have everything you need to maintain, repair, or upgrade your Meyer Snow Plow. Known for their durability and performance, Meyer parts ensure your plow is ready for the harshest winter conditions.



Radiant Heaters

SUNFIRE RADIANT HEATERS

FEATURES:

- SunFire Radiant Heaters offer best in class performance and reliability. They burn quiet, burn clean and burn odorless. Dual-Fuel technology allows the heater to run on #2 diesel, or kerosene.



SUNFIRE RADIANT HEATERS

MODELS	BTUs	HEATING AREA	RUN TIME	FUEL TANK
95150	150,000	Up to 3,500 sq. ft.	19 hours	19 gallon
95120	120,000	Up to 2,800 sq. ft.	16 hours	14 gallon
95080	80,000	Up to 1,500 sq. ft.	10 hours	6 gallon



Outdoor Power Equipment, Farm, Forestry, Landscape, Construction, Rental, Small Engine, Hearth & Grills



Contact Information

Hayward Distributing Co.	800-282-1585
Ag & Construction	888-222-8455
J.S. Woodhouse Division	413-736-5462

sales@haydist.com

Locations

Hayward Distributing Co. Main Office
 4061 Perimeter Dr. Columbus, OH

J.S. Woodhouse Division Main Office
 1314 Union St Exd West Springfield, MA

572 Industrial Dr,
 Lewisberry, PA

467 Oakland Cir,
 Raphine, VA

11A Evergreen Dr,
 Fairfield, ME

567 S Reading Rd,
 Ephrata, PA

6412 Deere Rd # 1,
 Syracuse, NY

Proud Member Of OPEESA & EMDA

